

JUNCTION BOXES

with cable gland

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- With Press-fit Cover
- Made of ABS
- Multiple Size Cable Sleeve
- Operating Temperature: -25°C to +60°C
- Glowwire Test 650°C



IP 44

Junction Boxes - With press fit Cover

| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1036 | Ø 70x40 | 60 |
| CP 1037 | Ø 85x45 | 60 |
| CP 1038 | 80x80x40 | 40 |



IP 54

Junction Boxes - With stainless steel screw

| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1035 | 110x110x70 | 10 |
| CP 1039 | 80x120x50 | 22 |
| CP 1040 | 100x100x50 | 18 |
| CP 1051 | 150x110x70 | 9 |



IP 55

Junction Boxes - With plastic screw

| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1052 | 190x145x80 | 10 |
| CP 1053 | 250x200x90 | 12 |
| CP 1054 | 310x230x130 | 6 |



IP 54

Junction Boxes - With stainless steel screw

| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1359 | 80x120x120 | 35 |
| CP 1360 | 100x100x120 | 36 |
| CP 1361 | 150x110x140 | 16 |



IP 55

Junction Boxes - With plastic screw

| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1362 | 190x145x140 | 10 |
| CP 1363 | 250x200x160 | 6 |
| CP 1364 | 310x230x180 | 6 |

JUNCTION BOXES

with blank sides

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- With Press-fit Cover
- Made of ABS
- Screwed Cover
- Operating Temperature: -25°C to +60°C
- Smooth Sides and Plain Blank Cover
- Glowwire Test 650°C



Junction Boxes - With stainless steel screw



| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1028 | 110x110x70 | 10 |
| CP 1029 | 80x120x50 | 22 |
| CP 1030 | 100x100x50 | 18 |
| CP 1041 | 150x110x70 | 9 |
| CP 1047 | 130x230x85 | 16 |
| CP 1048 | 130x350x85 | 14 |
| CP 1049 | 130x460x85 | 8 |



Junction Boxes - With plastic screw



| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1042 | 190x145x80 | 10 |
| CP 1043 | 250x200x90 | 12 |
| CP 1044 | 310x230x130 | 6 |
| CP 1045 | 400x300x130 | 6 |
| CP 1046 | 480x400x140 | 4 |



Junction Boxes - With stainless steel screw



| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1059 | 80x120x120 | 35 |
| CP 1060 | 100x100x120 | 36 |
| CP 1061 | 150x110x140 | 16 |
| CP 1065 | 230x125x120 | 15 |



Junction Boxes - With plastic screw



| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1062 | 190x145x140 | 10 |
| CP 1063 | 250x200x160 | 6 |
| CP 1064 | 310x230x180 | 6 |

JUNCTION BOXES

with knock-out

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- With Press-fit Cover
- Made of ABS
- Knock-out Entries
- Operating Temperature: -25°C to +60°C
- Glowwire Test 650°C



IP 44

Junction Boxes - With press fit Cover

| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1236 | Ø 70x40 | 60 |
| CP 1237 | Ø 85x45 | 60 |
| CP 1238 | 80x80x40 | 40 |



IP 54

Junction Boxes - With stainless steel screw

| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1235 | 110x110x70 | 10 |
| CP 1239 | 80x120x50 | 22 |
| CP 1240 | 100x100x50 | 18 |
| CP 1251 | 150x110x70 | 9 |



IP 67

Junction Boxes - With plastic screw

| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1252 | 190x145x80 | 10 |
| CP 1253 | 250x200x90 | 12 |
| CP 1254 | 310x230x130 | 6 |



IP 54

Junction Boxes - With stainless steel screw

| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1259 | 80x120x120 | 35 |
| CP 1260 | 100x100x120 | 36 |
| CP 1261 | 150x110x140 | 16 |



IP 67

Junction Boxes - With plastic screw

| Code | Dimension (WxHxD) | Pack |
|---------|----------------------|------|
| CP 1262 | 190x145x140 | 10 |
| CP 1263 | 250x200x160 | 6 |
| CP 1264 | 310x230x180 | 6 |