

Promax s.r.l.

Via Newton, 05/G – 50051 Castelfiorentino (FI)
 Tel. 0571 684620, 0571 1825113, 0571 1825122
 Fax 0571 658720
 Partita IVA: IT 04317930487
<http://www.promax.it> E-MAIL info@promax.it
 Capitale Sociale € 50.000,00 Int. versato


CABLE CONNECTION TO CIRCULAR CONNECTOR ENCODER MOTOR SIDE (9PIN)



PIN	SIGNAL
1	S+
2	S-
3	DISCONNECT
4	MA+
5	MA-
6	PG5V
7	PG0V
8	DISCONNECT
9	Shield

10 PIN CONNECTOR DRIVER ENCODER SIDE

11



The PIN numbers are printed on the plastic part


PIN	SEGNALE
1	PG5V
2	PG0V
3	DISCONNECT
4	DISCONNECT
5	MA+
6	MA-
7	S+
8	S-

* The SHIELD of the cable Welds on the metal strip of the connector

Promax s.r.l.

Via Newton, 05/G – 50051 Castelfiorentino (FI)
Tel. 0571 684620, 0571 1825113, 0571 1825122
Fax 0571 658720
Partita IVA: IT 04317930487
<http://www.promax.it> E-MAIL info@promax.it
Capitale Sociale € 50.000,00 Int. versato


CABLE CONNECTION TO CIRCULAR CONNECTOR MOTOR SIDE POWER (4PIN)



PIN SEGNALE

- 1 U
- 2 V
- 3 W
- 4 FG

3 PIN PLASTIC CONNECTOR POWER DRIVER SIDE



–

CABLE CONNECTION TO CIRCULAR CONNECTOR MOTOR SIDE POWER (6PIN) WITH INTEGRATED BRAKE



PIN SIGNAL

1	U
2	V
3	W
4	FG
5	BK1 (the brake has no polarity)
6	BK2 (the brake has no polarity)